

BERJAYA®



Quality
Foodservice
Equipment

2021 EDITION

ABOUT US

Malaysia Exporter & Manufacturer

Commercial Refrigerator &
Commercial Foodservice Equipment

The Total Source

Founded in 1980, Berjaya Steel Product Sdn. Bhd. has become the total source manufacturer for quality commercial foodservice equipment and commercial refrigerator.

Our broad product lines, technical support, customer services professional as well as manufacturing facilities position us to be your "One Stop Shopping" of quality commercial foodservice equipment and commercial refrigerators. Whatever you need, Berjaya Steel Product Sdn. Bhd. is the only company in the equipment world you need to know.

Customer Satisfaction

Berjaya Steel Product Sdn. Bhd. is committed towards total customer satisfactions by ensuring that only quality products and good services are delivered to customers.

The company believes in providing complete and comprehensive solution to meet kitchen and refrigerators requirements in the food service industry. By maintaining consistent quality, BERJAYA is currently in the global market exporting to many countries all over the world.

Excellent In Quality

In the pursuit of excellence, Berjaya Steel Product Sdn. Bhd. has committed its management system to the ISO 9001 : 2015 Certification.

BERJAYA electrical food service equipment are manufactured to IEC standard (International Electrotechnical Commission Standard) and gas equipment are ANSI standard (American National Standards Institute) approved by SIRIM (Standard and Industrial Research Institute Of Malaysia). Most of these equipment are with CE marking, especially the refrigeration range.

Continuous Improvement

As a food service equipment manufacturer, we always consider environmental well being. Berjaya constantly strives to improve energy efficiency without compromising performance.



CERTIFICATE

Comply With International Safety Standard



CONTENTS



PG DESCRIPTION

- 5 Stainless Steel Electrical Griddle
- 6 Stainless Steel Gas Griddle
- 7 Stainless Steel Electrical Griddle (Half Ribbed)
Stainless Steel Gas Griddle (Half Ribbed)
- 8 Stainless Steel Char Broiler
Stainless Steel Char Rock Broiler
- 9 Stainless Steel Combination Char Broiler Griddle
Stainless Steel Combination Open Burner Griddle
- 10 Stainless Steel Open Burner
- 11 Stainless Steel Combination Open Burner Griddle with Oven
Stainless Steel Deluxe Range Oven with Open Burner
- 12 Stainless Steel Stock Pot
- 13 Stainless Steel Tempura Fryer
Stainless Steel Gas Pasta Boiler
Stainless Steel Gas BBQ Burner
- 14 Stainless Steel Electrical Deep Fryer
- 15 Stainless Steel Gas Deep Fryer
- 16 Hot Display Warmer
- 17 Stainless Steel Electrical Display Warmer
Stainless Steel Electrical Pie Warmer
Stainless Steel Electrical Food Warmer with Thermometer
Stainless Steel Electrical Food Warmer
- 18 Stainless Steel Hot Food Display
Stainless Steel Mini Bain Marie Counter With Food Tray
Stainless Steel Electrical Bain Marie
- 19 Stainless Steel Electrical Contact Toaster
Stainless Steel Electrical Salamanda
Stainless Steel Gas Salamanda
- 20 Stainless Steel Electrical Water Urn (Concealed Element)
Stainless Steel Corn Steamer
- 21 Stainless Steel Steam Machine (Pao Steamer)
Stainless Steel Infra Red Heating Lamp
Stainless Steel Mini Infra-Red Food Warmer
- 22 Stainless Steel Duck Roaster
Stainless Steel Charcoal Lamb Roaster
Stainless Steel Gas Rotisseries
Stainless Steel Electrical Rotisseries
- 23 Stainless Steel Gas Tilting Kettle
Stainless Steel Gas Tilting Pan
Stainless Steel Gas Boiling Pan
Stainless Steel Gas Kwali Cooker
- 24 Stainless Steel Kebab Machine (Shawerma Griller)
- 25 Stainless Steel Foodpan
Stainless Steel Foodpan Cover
Stainless Steel Cake Pan
Baffle Grease Filter Without Hanger
Cutlery Trolley (Knock Down)
- 26 Juice Dispenser (Jet and Mix System)
- 27 Stainless Steel Swing
Stainless Steel Menu Stand
Stainless Steel Kennel
Stainless Steel Mail box
Stainless Steel Table and Chair
Stainless Steel Kennel c/w Roof
Granite Rectangular Table

Stainless Steel Electrical Griddle



- Stainless steel body.
- Temperature range 50°C to 300°C.
- 1, 2 to 3 tubular heaters of 1750 watt each.
- 9mm / 12mm thick, flat polished steel griddle plate.
- Removable stainless steel grease drip pan with drain holes.

TABLE TOP




EG1750

EG3000


EG3500-17

EG5250-17




EG 1750

Front View




Side View




EG 3000

Front View




Side View




EG3500-17

Front View




Side View



EG5250-17

Front View



Side View


FREE STANDING



EG3000FS


EG3500FS-17

EG5250FS-17



EG3000FS

Front View




Side View



EG3500FS-17

Front View




Side View



EG5250FS-17

Front View



Side View

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Machine Weight (kg)	Hot Plate Size (mm)	Rated Voltage (V)	Rated Wattage (W)	Frequency (Hz)	Phase	Packing Volume (m ³)
EG1750	400 x 455 x 280	540 x 460 x 320	17	395 x 333 x 9	220~240	1750	50 / 60	1	0.05
EG3000	600 x 455 x 288	660 x 540 x 320	26	600 x 330 x 12	220~240	2700	50 / 60	1	0.11
EG3500-17	600 x 790 x 455	677 x 845 x 445	43	597 x 470 x 12	220~240	3500	50 / 60	1	0.26
EG5250-17	900 x 790 x 455	955 x 845 x 445	62	897 x 470 x 12	380~415	5250	50 / 60	3	0.36
EG3000FS	600 x 455 x 930	660 x 540 x 320	31	600 x 330 x 12	220~240	2700	50 / 60	1	0.11
EG3500FS-17	600 x 790 x 1010	677 x 845 x 445	48	597 x 470 x 12	220~240	3500	50 / 60	1	0.26
EG5250FS-17	900 x 790 x 1010	955 x 845 x 445	69	897 x 470 x 12	380~415	5250	50 / 60	3	0.36

Stainless Steel Gas Griddle


- Full stainless steel constructed body, hygienic and easy to keep clean.
- Slope stainless steel side splashes and 75 mm backsplash.
- 12 mm thick flat polished steel griddle plate.
- Removable stainless steel grease drip pan and a drain hole fixed on the top.
- Ferro casting burner of 26,000 Btu each or 25.7 MJ for each 300 mm griddle width.

- Equipped with manual control, continuous burning pilot.
- Rear gas connection.
- Automatic piezo ignitor.
- Stand by manual lighting holes.
- The aired pilots are attached to each burner located beneath the griddle plate.


TABLE TOP



GG2B-17




Front View



Side View



GG3B-17




Front View




Side View



GG4B-17



Front View



Side View


FREE STANDING



GG2BFS-17



Front View




Side View



GG3BFS-17




Front View




Side View



GG4BFS-17



Front View



Side View

Model	Product Dimension (L X W X H) (mm)	Packing Dimension (L X W X H) (mm)	Weight (kg)	Cooking Surface Dimension (L X W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
GG2B-17	600 x 790 x 455	677 x 845 x 445	53	597 x 457	52000	0.26	2
GG3B-17	900 x 790 x 455	955 x 845 x 445	74	897 x 457	78000	0.36	3
GG4B-17	1200 x 790 x 455	1250 x 845 x 445	100	1197 x 457	104000	0.47	4
GG2BFS-17	600 x 790 x 1010	677 x 845 x 445	58	597 x 457	52000	0.26	2
GG3BFS-17	900 x 790 x 1010	955 x 845 x 445	81	897 x 457	78000	0.36	3
GG4BFS-17	1200 x 790 x 1010	1250 x 845 x 445	104	1197 x 457	104000	0.47	4

Stainless Steel Electrical Griddle (Half Ribbed)

- Stainless steel body.
- Temperature range 50°C to 300°C.
- 1,2 to 3 tubular heaters of 1750 watt each.

- 12 mm thick, flat polished steel griddle plate.
- Removable stainless steel grease drip pan with drain holes.

TABLE TOP

FREE STANDING









EG3500HR-17

EG5250HR-17

EG3500HRFS-17

EG5250HRFS-17



EG3500HR-17

Side View

EG5250HR-17

Side View

EG3500HRFS-17

Side View

EG5250HRFS-17

Side View



Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Hot Plate Size (L x W) (mm)	Rated Voltage (V)	Rated Wattage (W)	Frequency (Hz)	Phase	Packing Volume (m ³)
EG3500HR-17	600 x 790 x 455	677 x 845 x 445	43	597 x 457 x 12	220 ~ 240	3500	50 / 60	1	0.26
EG5250HR-17	900 x 790 x 455	955 x 845 x 445	62	897 x 457 x 12	380 ~ 415	5250	50 / 60	3	0.36
EG3500HRFS-17	600 x 790 x 1010	677 x 845 x 445	48	597 x 457 x 12	220 ~ 240	3500	50 / 60	1	0.26
EG5250HRFS-17	900 x 790 x 1010	955 x 845 x 445	69	897 x 457 x 12	380 ~ 415	5250	50 / 60	3	0.36

Stainless Steel Gas Griddle (Half Ribbed)

TABLE TOP


FREE STANDING

- Full stainless steel constructed body, hygienic and easy to keep clean.
- Slope stainless steel side splashes and 75 mm back splash.
- 12 mm thick half ribbed polished steel griddle plate.
- Removable stainless steel grease drip pan and a drain hole fixed on the top.
- Ferro casting of 26,000 Btu each or 25.7 MJ for each 300 mm griddle width.
- Equipped with manual control, continuous burning pilot.
- Rear gas connection.
- Automatic piezo ignitor.
- Stand by manual lighting holes.
- The airted pilots are attached to each.



GG2BHR-17

Side View



GG2BHRFS-17

Side View



GG2BHR-17



GG2BHRFS-17

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Cooking Surface Dimension (L x W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
GG2BHR-17	600 x 790 x 455	677 x 845 x 445	53	597 x 457	52000	0.26	2
GG2BHRFS-17	600 x 790 x 1010	677 x 845 x 445	58	597 x 457	52000	0.26	2

Stainless Steel Char Broiler

- Full stainless steel constructed body and easy to keep clean.
- Equipped with manual control, continuous burning pilot.
- Rear gas connection.

- Automatic piezo ignitor.
- Standby manual lighting holes.
- The airted pilots are attached to each.




TABLE TOP




CB3B-17


CB5B-17




Front View



Side View



Front View



Side View

FREE STANDING




CB3BFS-17

CB5BFS-17




Front View



Side View



Front View



Side View

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
CB3B-17	600 x 790 x 455	677 x 845 x 445	71	45000	0.26	3
CB5B-17	900 x 790 x 455	955 x 845 x 445	107	75000	0.36	5
CB3BFS-17	600 x 790 x 1010	677 x 845 x 445	76	45000	0.26	3
CB5BFS-17	900 x 790 x 1010	955 x 845 x 445	114	75000	0.36	5

Stainless Steel Char Rock Broiler

- Full stainless steel constructed body and easy to keep clean.
- Equipped with manual control, continuous burning pilot.
- Rear gas connection.

- Automatic piezo ignitor.
- Standby manual lighting holes.
- The airted pilots are attached to each.




TABLE TOP




CRB2B-17


CRB3B-17




Front View



Side View



Front View




Side View

FREE STANDING




CRB2BFS-17


CRB3BFS-17




Front View



Side View



Front View



Side View


Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
CRB2B-17	600 x 790 x 455	677 x 845 x 445	65	60000	0.26	2
CRB3B-17	900 x 790 x 455	955 x 845 x 445	98	90000	0.36	3
CRB2BFS-17	600 x 790 x 1010	677 x 845 x 445	70	60000	0.26	2
CRB3BFS-17	900 x 790 x 1010	955 x 845 x 445	105	90000	0.36	3

Stainless Steel Combination Char Broiler Griddle




TABLE TOP

FREE STANDING



Front View

Side View



Front View

Side View



CB3BGG1B-17



CB3BGG1BFS-17


Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Cooking Surface Dimension (L x W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
CB3BGG1B-17	900 x 790 x 455	955 x 845 x 445	97	292 x 444	71000	0.36	3 + 1
CB3BGG1BFS-17	900 x 790 x 1010	955 x 845 x 445	104	292 x 444	71000	0.36	3 + 1

Stainless Steel Combination Open Burner Griddle



TABLE TOP


FREE STANDING



OB4GG1B-17

Front View

Side View



OB4GG1BFS-17

Front View

Side View



OB4GG1B-17



OB4GG1BFS-17

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Cooking Surface Dimension (L x W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
OB4GG1B-17	900 x 790 x 455	955 x 845 x 445	77	294 x 500	106000	0.36	4 + 1
OB4GG1BFS-17	900 x 790 x 1010	955 x 845 x 445	84	294 x 500	106000	0.36	4 + 1

TABLE TOP



OB2S


OB2-17

OB4-17


OB6-17




Front View




Side View




Front View



Side View



Front View



Side View

FREE STANDING



OB2SFS

OB2FS-17

OB4FS-17

OB6FS-17




Front View




Side View




Front View




Side View




Front View



Side View



Front View




Side View


- Full stainless steel constructed body, hygienic and easy to keep clean.
- Removable cast iron top grate.
- Drip pan is easily to removable and cleaning.
- Free standing designed
- Even heat high input 20,000 Btu burners or 21.00 MJ.
- Precision brass valving.
- Automatic piezo ignitor.
- Stand by manual lighting holes.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
OB2S	600 x 417 x 350	700 x 530 x 420	28	40,000	0.16	2
OB2-17	300 x 790 x 455	350 x 845 x 445	28	40000	0.13	2
OB4-17	600 x 790 x 455	677 x 845 x 445	50	80000	0.26	4
OB6-17	900 x 790 x 455	955 x 845 x 445	73	120000	0.36	6
OB2SFS	600 x 417 x 860	700 x 530 x 420	35	40,000	0.16	2
OB2FS-17	300 x 790 x 1010	350 x 845 x 445	32	40000	0.13	2
OB4FS-17	600 x 790 x 1010	677 x 845 x 445	55	80000	0.26	4
OB6FS-17	900 x 790 x 1010	955 x 845 x 445	80	120000	0.36	6

Stainless Steel Combination Open Burner Griddle with Oven



Side View



Front View



OB4GG1BWO-17

Model	Product Dimension Outer Size (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Dimension Oven Size (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
OB4GG1BWO-17	900 x 790 x 1010	970 x 840 x 1000	790 x 550 x 300	156	134000 (138.7)	0.815	6

Stainless Steel Deluxe Range Oven with Open Burner




- Body build up by stainless steel materials.
- Easy door access for cooking area.
- Heavy duty cast iron section, which are removable and easy cleaning.

- Stainless steel handle for bottom oven.
- Thermal coupling safety valve for the oven.
- Adjustable heavy duty legs.



DRO4-17

Front View




Side View



DRO6-17

Front View



Side View



DRO4-17



DRO6-17

Model	Product Dimension Outer Size (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Dimension Oven Size (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m ³)	Number Of Burner
DRO4-17	600 x 790 x 1010	650 x 840 x 1000	490 x 550 x 300	113	110000	0.55	4 + 1
DRO6-17	900 x 790 x 1010	970 x 840 x 1000	790 x 550 x 300	155	150000	0.82	6 + 1

Stainless Steel Stock Pot

- Stainles steel body.
- Cast iron top grate.
- Precision brass gas cork.
- 4 adjustable legs.
- Drip pan is easily removable for cleaning. (except HT model)
- For ring burner, each ring with independent control. (model SP1,SP2,SP1-HP,SP2-HP).
- Real gas connection.

LOW PRESSURE



SP 1



SP 2

Ring Burner



HIGH PRESSURE



SP 1-HP



SP 2-HP

Pineapple Burner




SP 1-HT



SP 2-HT

Trumpet Burner



Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Gas Pressure	Burner Type
SP 1	600 x 600 x 520	655 x 750 x 350	40	56,000 (59)	LOW	Ring
SP 2	1200 x 600 x 520	1220 x 750 x 350	79	112,000 (118)	LOW	Ring
SP 1-HP	600 x 600 x 520	655 x 750 x 350	37	57,000 (60)	HIGH	Pipeapple
SP 2-HP	1200 x 600 x 520	1220 x 750 x 350	71	114,000 (120.8)	HIGH	Pipeapple
SP 1-HT	600 x 600 x 520	655 x 750 x 350	35	96,000 (101.7)	HIGH	Trumpet
SP 2-HT	1200 x 600 x 520	1220 x 750 x 350	69	192,000 (203)	HIGH	Trumpet

Stainless Steel Tempura Fryer




TF 24

- Body – Full stainless steel constructed body, hygienic and easy to keep clean.
- Burner with high thermal efficiency, low carbon monoxide emission.
- Equipped with thermocouple. If fire accidentally goes off, this safety device will automatically cut off gas supply.
- Equipped with high limit safety device. Burner will automatically go off if oil temperature exceed 230°C.
- The thermostat control allows selection of ideal cooking temperature.
- Suitable for LPG and NG.
- Filtration basket and container.
- Side tray provided.




Filtration Basket and Container



Tube-Fire Heating System



Front View



Side View

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Tank Capacity (Litres)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Volume (m ³)
TF 24	550 x 600 x 1070	600 x 660 x 1020	34	45	30000 (31.8)	0.4

Stainless Steel Gas Pasta Boiler




- Full stainless steel constructed body and easy to keep clean.
- Electronic impulse ignition (piezo) with safety device.
- With 6 cooking baskets.
- Floor type with non-slip devices.



GPB6BFS-17

Front View



Side View



GPB6BFS-17

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Packing Volume (m ³)	Number of Burner
GPB6BFS-17	400 x 790 x 1010	450 x 840 x 1000	43	52000	0.38	3


Stainless Steel Gas BBQ Burner



- Stainless steel body.
- Built in grease drip pan.
- Gas burners with independent control knob.
- Ideal for BBQ.



Side View



BBQ 001

Front View



BBQ 002

Front View



BBQ 001



BBQ 002

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Packing Volume (m ³)
BBQ 001	670 x 300 x 160	730 x 350 x 220	8.4	15,000 (15.9)	0.056
BBQ 002	980 x 300 x 160	994 x 310 x 185	12.0	24,000 (25.4)	0.057

Stainless Steel Electrical Deep Fryer


- Thermostatically controlled to require temperature.
- Flip up control panel for easy cleaning.
- Stainless steel exterior design, hygienic & easy to keep clean.
- Basket with insulated handle hygienic and long lasting.
- Pilot light.
- Stainless steel oil pan.
- Basket support for dripping (support to control panel).
- Over heat reset switch - prevents over heating.



Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Packing Volume (m ³)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Thawad Chips Production (kg / Hr)	Power (kW)	Voltage, Frequency (V, Hz)
DF13-17	6	177 x 418 x 337	500 x 245 x 425	0.05	135 x 235 x 100	5	6	2.4	220~240, 50 / 60
DF12-17	9	269 x 418 x 337	550 x 335 x 425	0.07	210 x 250 x 100	6	11	3.0	
DF11D-17	9 x 2	538 x 418 x 337	605 x 570 x 425	0.13	210 x 250 x 100	11	20	3.0 x 2	
DF23S1B-17	12	354 x 418 x 337	540 x 435 x 425	0.06	280 x 240 x 100	7	11	3.0	

TABLE TOP

FREE STANDING




Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Thawad Chips Production (kg / Hr)	Power (kW)	Packing Volume (m ³)	Voltage, Frequency (V, Hz)
SDF 12	9	310 x 550 x 440	360 x 630 x 500	200 x 240 x 100	13.5	18	5.5	0.11	380~415, 50/60
SDF 12D	9 x 2	640 x 550 x 440	630 x 690 x 500	200 x 240 x 100	27.0	36	5.5 x 2	0.22	380~415, 50/60
FSSDF 12	9	310 x 590 x 990	360 x 650 x 930	200 x 240 x 100	25	27	5.5	0.22	380~415, 50/60
FSSDF 12D	9 x 2	640 x 590 x 990	700 x 650 x 950	200 x 240 x 100	45	43	5.5 x 2	0.43	380~415, 50/60

Stainless Steel Gas Deep Fryer


- Body - Fully stainless steel constructed body, hygienic and easy to keep clean.
- Chrome plated mesh basket.
- Stainless steel oil pan, stainless steel grid screen and drain pipe.
- Suitable for LPG and NG.
- Airted burner, high thermal efficiency, low carbon monoxide emission.
- Equipped with thermocouple. If fire accidentally go off, this safety device will automatically cut off gas supply.

- Equipped with high limits safety device. Burner will automatically goes off if oil temperature exceed 230°C.
- The thermostat control allows us to select our ideal cooking temperature.
- Lock oil cork for safety.
- Burners of 11,000 Btu / 11.6 MJ each.
- Fryer standing model, extra filtration basket and container.

TABLE TOP



FREE STANDING




Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Packing Volume (m ³)
GDF 12	11	310 x 675 x 460	360 x 730 x 490	220 x 250 x 100	21	22000 (23.3)	0.13
GDF 11D	11 x 2	640 x 675 x 460	685 x 710 x 461	220 x 250 x 100	40	44000 (46.6)	0.22
FSGDF12	11	310 x 715 x 1020	360 x 770 x 1010	220 x 250 x 100	36	22000 (23.3)	0.28
FSGDF11D	11 x 2	640 x 715 x 1020	700 x 770 x 1010	220 x 250 x 100	61	44000 (46.6)	0.50

FREE STANDING

- Body - Full stainless steel constructed body, hygienic and easy to keep clean.
- Chrome plated mesh basket.
- Stainless steel grid screen and drain pipe.
- Burner with high thermal efficiency, low carbon monoxide emission.
- Equipment with thermocouple. If fire accidentally goes off, this safety device will automatically cut off gas supply.
- Equipped with high limit safety device. Burner will automatically goes off if oil temperature exceed 230°C.

- The thermostat control allows is to select our ideal cooking temperature.
- Suitable for LPG and NG.




Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Packing Volume (m ³)
GDFE1BFS-17	27	400 x 790 x 1090	480 x 910 x 1200	310 x 330 x 150	64	128000	0.52
GDFE2BFS-17	27	400 x 790 x 1090	480 x 910 x 1200	165 x 335 x 150	65	128000	0.52

Hot Display Warmer




- Illuminated by warm fluorescent lamp.
- Ideal for pastry display.
- An underneath cabinet is available for standby pastry storage.

COLOURBOND BASE



STAINLESS STEEL BASE




Black Colourbond Base		Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Temperature Range	Level of Shelvings	Normal Amps (A)	Total Load (W)	Packing Volume (m ³)
Curve	Rectangular							
HDW09SB13-2	RHDW09SB13-2	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	2	7.00	1660	1.00
HDW12SB13-2	RHDW12SB13-2	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	2	7.50	1730	1.33
HDW15SB13-2	RHDW15SB13-2	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	2	7.60	1750	1.65
HDW18SB13-2	RHDW18SB13-2	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	2	14.60	3350	1.97
HDW24SB13-2	RHDW24SB13-2	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	2	15.00	3460	2.60
HDW09SB13-3	RHDW09SB13-3	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	3	7.00	1660	1.00
HDW12SB13-3	RHDW12SB13-3	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	3	7.50	1730	1.33
HDW15SB13-3	RHDW15SB13-3	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	3	7.60	1750	1.65
HDW18SB13-3	RHDW18SB13-3	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	3	14.60	3350	1.97
HDW24SB13-3	RHDW24SB13-3	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	3	15.00	3460	2.60
Stainless Steel Base		Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Temperature Range	Level of Shelvings	Normal Amps (A)	Total Load (W)	Packing Volume (m ³)
Curve	Rectangular							
HDW-09SS-2	RHDW-09SS-2	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	2	7.00	1660	1.00
HDW-12SS-2	RHDW-12SS-2	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	2	7.18	1680	1.33
HDW-15SS-2	RHDW-15SS-2	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	2	7.23	1700	1.65
HDW-18SS-2	RHDW-18SS-2	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	2	13.26	2897	1.97
HDW-24SS-2	RHDW-24SS-2	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	2	14.65	3390	2.60
HDW-09SS-3	RHDW-09SS-3	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	3	7.00	1660	1.00
HDW-12SS-3	RHDW-12SS-3	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	3	7.18	1680	1.33
HDW-15SS-3	RHDW-15SS-3	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	3	7.23	1700	1.65
HDW-18SS-3	RHDW-18SS-3	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	3	13.26	2897	1.97
HDW-24SS-3	RHDW-24SS-3	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	3	14.65	3390	2.60

Stainless Steel Electrical Display Warmer



⚡ DW 311




Side View



DW 211

Front View



DW 311

Front View


Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Capacity Foodpan	Weight (kg)
DW 211	760 x 750 x 530	840 x 813 x 610	2 full size (65mm Dept)	48
DW 311	1095 x 750 x 530	1200 x 830 x 610	3 full size (65mm Dept)	64

Power (W)	Power (W)	Voltage, Frequency (V, Hz)	Temperature (°C)	Packing Volume (m ³)
2900	35 / 37	220~240, 50 / 60	30 ~ 90	0.61

Stainless Steel Electrical Pie Warmer



⚡ FW-5G



Front View



Side View

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)
FW-5G	600 x (398 + 37) x 540	670 x 485 x 610	23

Vol	Level Of Shelvings	Normal Amps (A)	Total Load (W)
0.082	3	3.5	860

Stainless Steel Electrical Food Warmer with Thermometer



Front View



Side View




Side View



⚡ NFW 50-2

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Vol (m ³)	Level Of Shelvings	Normal Amps (A)	Total Load (W)
NFW35-2	560 x (360 + 86) x 515	620 x 420 x 585	20	0.15	3	3.7	860
NFW40-2	560 x (360 + 86) x 724	620 x 420 x 815	25	0.21	5	3.7	860
NFW45-2	800 x (360 + 86) x 515	875 x 420 x 585	25	0.21	3	5.0	1160
NFW50-2	800 x (360 + 86) x 724	860 x 420 x 820	35	0.30	5	5.0	1160
NFW55-2	997 x (495 + 86) x 617	1055 x 555 x 690	44	0.40	3	6.9	1190

Stainless Steel Electrical Food Warmer



Front View



Side View



⚡ FW 35

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Vol (m ³)	Level Of Shelvings	Normal Amps (A)	Total Load (W)
FW 35	557 x (337 + 84) x 515	615 x 395 x 580	18	0.14	3	3.5	810
FW 40	557 x (362 + 84) x 720	615 x 420 x 815	24	0.21	5	4.6	1060
FW 45	797 x (337 + 84) x 515	855 x 395 x 585	23	0.20	3	4.6	1060
FW 50	797 x (362 + 84) x 720	855 x 420 x 810	32	0.29	5	6.8	1560
FW 55	1000 x (501 + 84) x 620	1060 x 560 x 690	40	0.41	3	6.9	1590

Stainless Steel Hot Food Display

- Stainless steel netting sliding door.
- Toughed curved glass, giving full view display.
- Overhead illuminated by fluorescent lamp.
- Removable cross bar.
- 30°C - 110°C thermostat control for wet operation with thermometer reading.
- Choices of 65mm or 100mm food pan.





HFD25-65

HFD24-65


HFD25-100

HFD24-100



Model	Dimension	Packing Dimension (L x W x H) (mm)	Capacity (L x W x H) (mm)	Power Heater (W)	Voltage, Frequency (V, Hz)	Thermostat (°C)	Amp (A)	Weight (kg)	Packing Volume (m ³)
HFD24-65	1355 x 615 x 765	1500 x 795 x 940	8 x FP½ - 2.5 Foodpan	3000	220-240, 50/60	30 - 110	11	73	1.12
HFD24-100	1355 x 615 x 765	1500 x 795 x 940	8 x FP½ - 4 Foodpan	3000	220~240, 50/60	30 - 110	11	74	1.12
HFD25-65	1680 x 615 x 765	1830 x 795 x 940	10 x FP½ - 2.5 Foodpan	3000	220-240, 50/60	30 - 110	11	87	1.37
HFD25-100	1680 x 615 x 765	1830 x 795 x 940	10 x FP½ - 4 Foodpan	3000	220-240, 50/60	30 - 110	11	89	1.37

Stainless Steel Mini Bain Marie Counter With Food Tray



BMC 4 (WC) With Cover

BMC 5

Model	No. of Food Tray	Size of Food Tray (L x W x H) (mm)	Machine Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Power (W)	Voltage, Frequency (V, Hz)	Weight (kg)	Option	Packing Volume (m ³)
BMC 4	4	300 x 190 x 40	885 x 330 x 270	940 x 380 x 190	1000	220~240, 50 / 60	12	without cover	0.07
BMC 5	5	300 x 190 x 40	1083 x 330 x 270	1133 x 380 x 190	1200	220~240, 50 / 60	13.5	without cover	0.08
BMC 6	6	300 x 190 x 40	1275 x 330 x 270	1325 x 380 x 190	1400	220~240, 50 / 60	16	without cover	0.10
BMC 8	8	300 x 190 x 40	1670 x 330 x 270	1770 x 380 x 190	1400	220~240, 50 / 60	21	without cover	0.13
BMC 4WC	4	300 x 190 x 40	885 x 330 x 270	940 x 380 x 190	1000	220~240, 50 / 60	14	with cover	0.07
BMC 5WC	5	300 x 190 x 40	1083 x 330 x 270	1133 x 380 x 190	1200	220~240, 50 / 60	16.6	with cover	0.8
BMC 6WC	6	300 x 190 x 40	1275 x 330 x 270	1325 x 380 x 190	1400	220~240, 50 / 60	19.6	with cover	0.10
BMC 8WC	8	300 x 190 x 40	1670 x 330 x 270	1770 x 380 x 190	1400	220~240, 50 / 60	25.3	with cover	0.13

Stainless Steel Electrical Bain Marie




BM 4

Model	No. of Food Pan	Machine Dimension (L x W x H) (mm)	Wattage (W)	Voltage, Frequency (V, Hz)	Weight (kg)
BM 3	3 full size or 6 half size	1105 x 760 x 840	3000	220~240, 50 / 60	38
BM 4	4 full size or 8 half size	1435 x 760 x 840	3000	220~240, 50 / 60	45
BM 5	5 full size or 10 half size	1765 x 760 x 840	3000	220~240, 50 / 60	51
BM 6	6 full size or 12 half size	2095 x 760 x 840	3000	220~240, 50 / 60	58
BM 15	15 half size	1830 x 965 x 840	3000	220~240, 50 / 60	61
BM 18	18 half size	2135 x 965 x 840	3000	220~240, 50 / 60	69
BM 21	21 half size	2440 x 965 x 840	3000	220~240, 50 / 60	77



Stainless Steel Electrical Contact Toaster


- Self balancing for upper plate.
- Sanded and vitrified cast iron top fusion with splash guards.
- Oil collection tray.
- Easy thermostatically controlled.



Side View



CG 11
Front View



CG 22
Front View



CG 23
Front View



CG 11




CG 22




CG 23

Model	Description	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Working Area	Voltage, Power (V, kW)	Frequency (Hz)	Weight (kg)	Packing Volume (m ³)
CG 11	Single striped	330 x 350 x 250	380 x 460 x 260	260 x 250	220~240, 2.5	50/60	22	0.05
CG 22	Double striped	620 x 350 x 250	670 x 460 x 260	545 x 250	380~415, 5.0	50/60	40	0.08
CG 23	Single striped	410 x 350 x 250	460 x 460 x 260	325 x 250	220~240, 2.5	50/60	27	0.06

Stainless Steel Electrical Salamanda



Side View



Front View




E-SALA 11


- Stainless steel construction
- Large capacity griller and warmer.
- Top element with thermostat controls to adjust the intensity of heat.
- Removable oil drips pan for easy cleaning
- Pilot light to indicate element is on.
- Ideal for heating, baking and gratinating, cooking pizza, sandwiches, cake and etc.
- Equipped with a chromed plated heavy duty rack, with 3 shelf position.
- Rack equipped with positive safety stop for pull out position.
- Can be wall mounted. (wall brackets not inclusive)

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Rated Voltage (V)	Rated Wattage (W)	Frequency (Hz)	Weight (kg)	Rack Area (m ²)	Packing Volume (m ³)
E-SALA 11	710 x 450 x 370	750 x 450 x 490	220~240	2700	50 / 60	18	0.26	0.165


Stainless Steel Gas Salamanda



Side View



SALA 11N
Front View



SALA 22N
Front View



SALA 11N



SALA 22N

- Stainless steel front and sides
- Gas-fired infra-red burner provides instant, even heating.
- Adjustable gas valves and continuous pilot for instant ignition.
- Equipped with a chrome plated heavy duty rack, with 3 shelf position, rolls out a full 260mm for easy loading and unloading.
- Full width drip pan can be easily removed for cleaning.
- Can be wall mounted. (wall brackets not inclusive)

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	No. Of Burner	Weight (kg)	Gas Consumption (Btu / Hr)	Rack Area (m ²)	Packing Volume (m ³)
SALA 11N	640 x 580 x 525	700 x 650 x 550	1	40	22000	0.15	0.273
SALA 22N	945 x 580 x 525	1000 x 650 x 550	1	53	38500	0.24	0.39


Stainless Steel Electrical Water Urn (Concealed Element)




- Polished stainless steel 304 body
- Easy for cleaning
- Durable and non-drip faucet.
- Brass faucet.
- Thermostatically control.




WU-CH-50L




WU-CH-20L
Front View



WU-CH-30L
Front View



WU-CH-40L
Front View



WU-CH-50L
Front View

Model	Capacity (Litres)	No. of Cups	Dimension (H x Ø) (mm)	Watt (W)	Voltage, Frequency (V, Hz)	Packing Dimension (L x W x H) (mm)	Weight (kgs)	Packing Volume (m ³)
WU-CH-20L	20	90	430 x 275	2800	220~240, 50 / 60	330 x 330 x 460	5.3	0.05
WU-CH-30L	30	140	450 x 330	2800	220~240, 50 / 60	360 x 360 x 500	5.9	0.06
WU-CH-40L	40	190	460 x 380	2800	220~240, 50 / 60	410 x 410 x 510	7.0	0.09
WU-CH-50L	50	240	538 x 380	2800	220~240, 50 / 60	410 x 410 x 565	8.0	0.10

Stainless Steel Corn Steamer



ELECTRICAL

GAS




ECS 46SSC



ECS 63SSC



GCS 55SSC



Side View



Front View




Side View



Front View



Side View



Front View

Model	Capacity (Corns)	Fuel	Power (W)	Measurements (H x Ø) (mm)	Weight (kg)	Packing Dimension (mm)	Packing Volume (m ³)
ECS 63SSC	20	Electricity	3000	550 x 395	7	410 x 410 x 500	0.08
ECS 46SSC	20	Electricity	3000	465 x 390	12	410 x 410 x 500	0.08
GCS 55SSC	20	Gas	16,500 (17.5)	550 x 395	11	410 x 410 x 500	0.08

Stainless Steel Steam Machine (Pao Steamer)

ELECTRICAL

GAS



⚡ ESM 44

⚡ ESM 55



🔥 ESM 66


Model	Dimension Top (L x W x H) (mm)	Dimension Base (L x W x H) (mm)	Machine Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Power (W)	Voltage, Frequency (V, Hz)	Weight (kg)	Packing Volume (m ³)
ESM 44	350 x 385 x 605	380 x 400 x 170	380 x 425 x 795	510 x 510 x 905	1130	220~240, 50 / 60	30	0.24
ESM 55	450 x 485 x 713	480 x 500 x 170	480 x 525 x 910	620 x 620 x 975	1130	220~240, 50 / 60	44	0.37

Model	Machine Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Water Storage Tank (Litres)	Capacity	Burner (LPG)	Voltage, Frequency (V, Hz)	Weight (kg)	Packing Volume (m ³)
ESM 66	670 x 635 x 1580	665 x 674 x 1600	30	180 pcs (6 rack)	E 40	220~240, 50/60	60	0.67

Stainless Steel Infra Red Heating Lamp



- Aluminium housing.
- Tubular metal sheathed infra-red heating element.



Side View

Front View

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Power (W)	Weight (kg)	Packing Volume (m ³)
IR 510	610 x 155 x 65	653 x 210 x 75	510	3	0.01
IR 810	915 x 155 x 65	933 x 210 x 75	810	4	0.01
IR 1000	1200 x 155 x 65	1233 x 210 x 75	1000	5	0.02

Stainless Steel Mini Infra-Red Food Warmer



- Mini infra-red foodwarmer keep all hot food at optimum serving temperature.



🔥 MIR 11



Side View

Front View

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Size of Food Pan	Power (W)	Weight (kg)	Packing Volume (m ³)
MIR 11	615 x 335 x 420	657 x 380 x 257	FP1/1-2.5	510	6.5	0.06

Stainless Steel Duck Roaster

Model	Charcoal	Gas	Dimension (H x Ø) (mm)	Burner (LPG)
A-C27	Small		1270 x 685	-
A-C33	Large		1525 x 840	-
A-G27		Small	1270 x 685	E40
A-G33		Large	1525 x 840	E40

Model	Charcoal	Gas	Dimension (H x Ø) (mm)	Burner (LPG)
A-HC27	Small		1270 x 685	-
A-HC33	Large		1525 x 840	-
A-HG27		Small	1270 x 685	E40
A-HG33		Large	1525 x 840	E40



Charcoal Stove	Model	Dimension (H x Ø) (mm)
	CS	300 x 320

Stainless Steel Charcoal Lamb Roaster

- Stainless steel body, spits and netting.
- Use charcoal.
- Meat can be cooked at different temperature by adjusting to different height.
- Removable oil drip pan.
- Spits manually rotate.

Model	Dimension (L x W x H) (mm)	Weight (kg)	Packing Volume (m ³)
LR-47	1230 x 770 x 760	70	0.7





Stainless Steel Gas Rotisseries

- Stainless Steel Body.
- Unique Convection heating system and direct infrared radiation.
- Large glass doors provide customers optimum view of appealing turning browning chicken.

Model	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Each Burner Capacity Btu / Hr (MJ /Hr)
GR 001	850 x 600 x 1050	975 x 720 x 1105	40,000 (42.2)

	Voltage, Frequency (V, Hz)	Weight (kg)	No. of Burner	Packing Volume (m ³)
	220~240, 50 / 60	106	2	0.78





CE

Stainless Steel Electrical Rotisseries

- Interior Lighting.
- 2 armoured heating elements in the lower part and infra-red quartz in the upper part.
- Inside is completely removable for easy cleaning.
- Easy thermostatically controlled.
- Spit and basket interchangeable.

Model	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Capacity
ER 001	870 x 625 x 895	925 x 785 x 970	20 ~ 25 poultry

	Power (kw)	Weight (kg)	Voltage, Frequency (V, Hz)	Packing Volume (m ³)
	13.7	88	380~415. 50 / 60	0.7




CE RoHS 2002/95/EC

Stainless Steel Gas Tilting Kettle



TK43CW



The gas tilting kettle is designed for you to fry, boil, grill, simmer and braise big quantity of dishes without problems of handling extra utensils.


- Elegant design.
- Manual tilting by manual wheel.
- Body and cover - Fully stainless steel constructed, hygienic and easy to clean.
- Cover with phenolic heat insulated handle.
- Cast Iron Wok / Stainless Steel Wok.
- Multi Tube Burner.

Model	Wok Capacity (Litres)	Wok Dimension (Ø x H) (mm)	Gas Consumption Btu / Hr (MJ / Hr)	Product Dimension (L x W x H) (mm)	Weight (kg)	Type
TK43CW	180	880 x 360	90,000 (95)	1400 x 880 x 1120	150	Cast Iron Wok
TK43SW	180	880 x 360	90,000 (95)	1400 x 880 x 1120	160	Stainless Steel Wok

Stainless Steel Gas Tilting Pan



TP3237




The gas tilting pan is designed for you to fry, boil, grill, simmer and braise big quantity of dishes without problems of handling extra utensils.

- Elegant design.
- Manual tilting by manual wheel.
- Body and cover - Fully stainless steel constructed, hygienic and easy to clean.
- Stainless steel pan.
- Two H cast iron burners.
- Piezo ignitor system for easy lighting and thermocouple safety device.

Model	Pan Capacity (Litres)	Pan Dimension (L x W x H) (mm)	Gas Consumption Btu / Hr (MJ / Hr)	Product Dimension (L x W x H) (mm)	Weight (kg)
TP3237	80	740 x 600 x 200	52,000 (55)	940 x 1040 x 980	154

Stainless Steel Gas Boiling Pan



This boiling pan is designed for boiling water and beverages. It can also cook rice with the basket.

- Elegant design
- Body - External and internal, fully 304 stainless steel constructed, hygienic and easy to keep clean.
- Cover - Aluminium with phenolic heat insulated handle.
- Cast iron standard ring burner.


Note:- Model BP30 : No basket

Model	Internal Capacity (Litres)	Internal Dimension (Ø x Depth) (mm)	Gas Consumption (Btu / Hr)	Machine Dimension (Ø x H) (mm)	Basket Dimension (Ø x H) (mm)	Weight (kg)
BP30	110	530 x 530	59,500	1110 x 960	-	56
BP30B	-	-	-	-	460 x 450	4



Options:- Stainless steel basket for rice cooking (BP30B)

Stainless Steel Gas Kwali Cooker



The gas kwali cooker is designed for you to fry, boil, grill, simmer and braise big quantity of dishes without problems of handling extra utensils.

- Elegant design.
- Body - External fully 304 stainless steel constructed, hygienic and easy to keep clean
- Cover - Aluminium with phenolic heat insulated handle.
- Cast iron wok.
- Cast iron standard ring burner.

Model	Wok Capacity (Litres)	Wok Dimension (Ø x Depth) (mm)	Gas Consumption (Btu / Hr)	Machine Dimension (Ø x Depth) (mm)	Weight (kg)
KC24	20	610 x 160	59,000	930 x 920	44
KC36	80	915 x 250	59,000	1230 x 920	60
KC48	200	1220 x 360	110,000	1500 x 920	137

Stainless Steel Kebab Machine (Shawerma Griller)

GAS OPERATED (AUTOMATIC)

- Stainless steel body.
- Large drip tray for easy cleaning.
- Motorised spinning.
- Burner has security thermocouple which cuts off gas flow automatically when flame goes out.
- Easy to operate gas valve control.
- Adjustable heat control by side buttons.
- Lower gas consumption.
- Fitted with 2 to 3 gas burners which can be regulated individually.
- Automatic operating mechanism.



Model	Gas Consumption (Btu / Hr) (MJ / Hr)	Voltage, Frequency (V, Hz)	Capacity (kg of meat)	Weight (kg)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Packing Volume (m ³)
KM 2B	16,000 (17)	220~240, 50	15 ~ 20	29	480 x 675 x 780	540 x 655 x 780	0.28
KM 3B	24,000 (25.4)	220~240, 50	20 ~ 30	33	480 x 675 x 975	540 x 655 x 970	0.34

GAS OPERATED (MANUAL)

- Stainless steel body.
- Manual spinning.
- Lower gas consumption.
- Fitted with 2 or 3 gas burner which can be regulated individually.



Model	Gas Consumption (Btu / Hr) (MJ / Hr)	Capacity (kg of meat)	Weight (kg)	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Operation Mechanism	Packing Volume (m ³)
KM 2	16,000 (17)	15 ~ 20	19	408 x 508 + 30 x 602	655 x 540 x 780	Manual	0.28
KM 3	24,000 (25.4)	20 ~ 30	23	408 x 508 + 30 x 777	655 x 540 x 970	Manual	0.34

ELECTRICAL OPERATED (AUTOMATIC)

- Stainless steel body.
- Large drip tray for easy cleaning.
- Motorised spinning.
- Fitted with 2 or 3 armoured heating elements, separately controlled.
- All heating elements are fitted with heat reflector for efficient heating.
- Automatic operating mechanism.



Model	Power (kW)	Voltage, Frequency (V, Hz)	Capacity (kg of meat)	Weight (kg)	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Packing Volume (m ³)
KM 2H	5.0	380~415, 50	15 ~ 20	29	520 x 635 x 770	540 x 655 x 780	0.28
KM 3H	7.5	380~415, 50	20 ~ 30	33	520 x 635 x 968	540 x 655 x 977	0.34

Stainless Steel Foodpan



Full Size Food Pan

Pieces per Carton : 6

Model	Dimension (L x W x D)(mm)
FP 1/1-2.5	530 x 325 x 65
FP 1/1-4	530 x 325 x 100
FP 1/1-6	530 x 325 x 150
FP 1/1-8	530 x 325 x 205

Quarter Size Food Pan

Pieces per Carton : 24

Model	Dimension (L x W x D)(mm)
FP 1/4-2.5	265 x 162 x 65
FP 1/4-4	265 x 162 x 100
FP 1/4-6	265 x 162 x 150

Half Size Food Pan

Pieces per Carton : 12

Model	Dimension (L x W x D)(mm)
FP 1/2-2.5	325 x 265 x 65
FP 1/2-4	325 x 265 x 100
FP 1/2-6	325 x 265 x 150
FP 1/2-8	325 x 265 x 205

Sixth Size Food Pan

Pieces per Carton : 36

Model	Dimension (L x W x D)(mm)
FP 1/6-2.5	176 x 162 x 65
FP 1/6-4	176 x 162 x 100
FP 1/6-6	176 x 162 x 150

Third Size Food Pan

Pieces per Carton : 18

Model	Dimension (L x W x D)(mm)
FP 1/3-2.5	325 x 176 x 65
FP 1/3-4	325 x 176 x 100
FP 1/3-6	325 x 176 x 150

Ninth Size Food Pan

Pieces per Carton : 48

Model	Dimension (L x W x D)(mm)
FP 1/9-2.5	176 x 108 x 65
FP 1/9-4	176 x 108 x 100
FP 1/9-6	176 x 108 x 150

Stainless Steel Foodpan Cover



Model	FP11C	FP12C	FP13C	FP14C	FP16C	FP19C
Size	Full	Half	Third	Quarter	Sixth	Ninth
Pieces per Carton	6	12	18	24	36	48

Stainless Steel Cake Pan



Model	Dimension(L x W x D)(mm)
CP 1120	530 x 325 x 20
CP 2120	650 x 530 x 20

Baffle Grease Filter Without Hanger



Model	Material	Dimension (L x W x D)(mm)	Pieces Per Carton
AL-BF	Aluminium	495 x 495 x 48	6
SS-BF	Stainless Steel	495 x 495 x 48	6

Cutlery Trolley (Knock Down)

Model	Fully Build-Up Dimension (L x W x H) (mm)	Container / Handling Bin Capacity	Packing Dimension (mm)	
			Frame Work	Plastic Container/ Edge Handling Bin
3TCT(S)	730 x 420 x 980	25 / 20	882 x 87 x 539	530 x 385 x 325
3TCT(L)	810 x 470 x 1020	40 / 20	930 x 87 x 620	615 x 455 x 300

Model	Fully Build-Up Dimension (L x W x H) (mm)	Container / Handling Bin Capacity	Packing Dimension (mm)	
			Frame Work	Plastic Container/ Edge Handling Bin
4TCT(S)	730 x 420 x 1250	25 / 20	1150 x 87 x 539	530 x 385 x 365
4TCT(L)	810 x 470 x 1250	40 / 20	1150 x 87 x 620	615 x 455 x 380

3 TCT

4 TCT



JET SYSTEM

By electromagnetic pump (Suitable for most beverages, such as syrup, water, premixed drinks from concentrate or powder).



Colour Selection: Blue(B), Orange(O), Normal(N), Pink(P), Yellow(Y)

Model	# Bowls	Bowl Capacity (Litres)	Compressor (HP) (W)	Amps (A)	Product Dimensions (L x W x H) (mm)	Packing Dimensions (L x W x H) (mm)	Ship wt. kg	Ecologic Refrigerant	Weight (kg)	Unit / 20ft Container
230V / 50Hz										
JD 118 Jet 25	1	18.9	1/6 (130)	3.2	210 x 450 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Jet 25	2	18.9	1/4 (190)	3.8	410 x 450 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Jet 25	3	18.9	1/3 (250)	4.6	610 x 450 x 710	640 x 480 x 750	36	R134a	36	108
230V / 60Hz										
JD 118 Jet 26	1	18.9	1/4 (190)	3.2	210 x 450 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Jet 26	2	18.9	1/3 (250)	3.8	410 x 450 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Jet 26	3	18.9	3/8 (285)	4.6	610 x 450 x 710	640 x 480 x 750	36	R134a	36	108

MIX SYSTEM

By paddles (Suitable for iced tea, iced coffee, natural juices or foamed beverages)



Colour Selection: Blue(B), Orange(O), Normal(N), Pink(P), Yellow(Y)

Model	# Bowls	Bowl Capacity (Litres)	Compressor (HP) (W)	Amps (A)	Product Dimensions (L x W x H) (mm)	Packing Dimensions (L x W x H) (mm)	Ship wt. kg	Ecologic Refrigerant	Weight (kg)	Unit / 20ft Container
230V / 50Hz										
JD 118 Mix 25	1	18.9	1/6 (130)	2.8	210 x 450 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Mix 25	2	18.9	1/4 (190)	3.5	410 x 450 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Mix 25	3	18.9	1/3 (250)	4.0	610 x 450 x 710	640 x 480 x 750	36	R134a	36	108
230V / 60Hz										
JD 118 Mix 26	1	18.9	1/4 (190)	2.8	210 x 450 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Mix 26	2	18.9	1/3 (250)	3.5	410 x 450 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Mix 26	3	18.9	3/8 (285)	4.0	610 x 450 x 710	640 x 480 x 750	36	R134a	36	108

Stainless Steel Swing



Model	Dimension (L x W x H) (mm)
SP:S	1270 x 1092 x 1397

Stainless Steel Kennel



Model	Dimension (L x W x H) (mm)
SSDC3	970 x 660 x 850
SSDC4	1270 x 970 x 1300
SSDC5	1580 x 1270 x 1500

Stainless Steel Kennel c/w Roof



Model	Dimension (L x W x H) (mm)
SSDC4R	1520 x 1220 x 1400
SSDC5R	1980 x 1520 x 1680

Stainless Steel Menu Stand



Model	Dimension (L x W x H) (mm)
SP:MS(S)	457 x 432 x 1270
SP:MS(L)	457 x 432 x 1473

Stainless Steel Mail Box



(Hanging Type)



(Inside Pillar Type)


Model	Dimension (L x W x H) (mm)	Model	Dimension (L x W x H) (mm)
SP:MB-HT(L) (Left)	203 x 127 x 305	SP:MBL1(L) (Left)	305 x 254 x 229
SP:MB-HT(R) (Right)	203 x 127 x 305	SP:MBR1(R) (Right)	305 x 254 x 229

Stainless Steel Table and Chair



Model	Description	Dimension(L x W x H) (mm)
SP:ST(SS)	Stainless Steel Table	1130 x 720 x 760
SP:C	Stainless Steel Chair	450 x 570 x 780

Granite Rectangular Table



Black Galaxy (BG) Imperial Red (IR)

Model	Colour	Dimension (L x W x H) (mm)
SP:GT(BG)	Black Galaxy	1220 x 710 x 760
SP:GT(IR)	Imperial Red	1220 x 710 x 760



BERJAYA®
Quality Variety Reliability

BERJAYA STEEL PRODUCT SDN. BHD.

(Company No: 301440-W)

OFFICE : 191-5,5th Floor, Wisma CKE,
Jalan Lancang off Jalan Cheras,
56100 Kuala Lumpur, Malaysia.

HUNTING LINE : +603-9145 8888
TELEPHONE : +603- 9130 1213
FAX : +603- 9130 1226

EMAIL : export@berjayasteel.com
WEBSITE : www.berjayasteel.com

FACTORY : PT 16736, Jalan Permata 1,
Arab Malaysian Industrial Park,
71800 Nilai, Negeri Sembilan,
Malaysia.



As Product improvement is an on going process, we reserve the right to change specifications or design without notice.

Kitchen Equipment/REV 19/2021/01